

METHOD AND SYSTEM FOR MONITORING SERVICE TRANSACTIONS

TECHNICAL FIELD OF THE INVENTION

This invention relates generally to the field of providing professional services and more specifically to a method and system for monitoring service transactions.

BACKGROUND OF THE INVENTION

The potential for problems arising from an interaction between an agent and a client has led to a need for a method and system for monitoring agent-client interactions. Many agent-client interactions involve discussions on which the client bases important decisions. For example, insurance agents describe the benefits and limitations of insurance policies to potential clients. Home service and repair agents, for example, pest control, plumbing, and installation agents, explain services and costs. Medical doctors, attorneys, and stockbrokers also discuss information on which a client relies to make important decisions.

In these situations, problems may arise from the agent-client interaction. An agent may unintentionally misinform a client. Or, an agent may take advantage of a client by, for example, misleading the client about the benefits of the offered service. Conversely, a client may falsely accuse an agent of improper behavior. To avoid these problems, agent-client interactions may be monitored. One type of known method for monitoring the actions of agents involves sending out a questionnaire or telephoning a client after an agent-client interaction. These known methods for monitoring the actions of agents, however, have not been satisfactory with respect to efficiency and effectiveness.

SUMMARY OF THE INVENTION

5 In accordance with the present invention, a method and system for monitoring service transactions are provided that substantially eliminate or reduce the disadvantages and problems associated with previously developed systems and methods.

10 According to one embodiment of the present invention, a method for monitoring a service transaction is disclosed. A client communicates through a communication channel. Feedback is gathered from the client through the communication channel. The feedback describes an agent and an interaction associated with the agent, and is stored in a client response database.

15 According to one embodiment of the present invention, a system for monitoring a service transaction is disclosed. A communication channel communicates feedback from a client. The feedback describes an interaction between an agent and the client. A monitoring module initiates collection of the feedback, receives the feedback from the communication channel, and stores the feedback in a client record database.

20 A technical advantage of one embodiment of the present invention is that it automatically gathers and evaluates client feedback about agent-client interactions. The feedback may be used to build a client record documenting the client's understanding of the agent-client interaction, which may be useful in defending a company against the client's later allegations. The client feedback may also be used to
25 effectively match a client with an appropriate agent. The client feedback may also be used to provide a current assessment of the risks posed by an agent and to
30

determine a premium payment to insure the agent for future transactions. An assessment of the profitability and effectiveness of the agent may also be determined from the client feedback.

5 Another technical advantage of the present invention is that it may be used to certify a company to indicate to consumers that the company's agents are being monitored and that clients have a communication channel through which to provide feedback about the agents.

10 Other technical advantages are readily apparent to one skilled in the art from the following figures, descriptions, and claims.

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
21

5

10

1. 1. The first
 2. 2. The second
 3. 3. The third
 4. 4. The fourth
 5. 5. The fifth
 6. 6. The sixth
 7. 7. The seventh
 8. 8. The eighth
 9. 9. The ninth
 10. 10. The tenth
 11. 11. The eleventh
 12. 12. The twelfth
 13. 13. The thirteenth
 14. 14. The fourteenth
 15. 15. The fifteenth
 16. 16. The sixteenth
 17. 17. The seventeenth
 18. 18. The eighteenth
 19. 19. The nineteenth
 20. 20. The twentieth
 21. 21. The twenty-first
 22. 22. The twenty-second
 23. 23. The twenty-third
 24. 24. The twenty-fourth
 25. 25. The twenty-fifth
 26. 26. The twenty-sixth
 27. 27. The twenty-seventh
 28. 28. The twenty-eighth
 29. 29. The twenty-ninth
 30. 30. The thirtieth
 31. 31. The thirty-first
 32. 32. The thirty-second
 33. 33. The thirty-third
 34. 34. The thirty-fourth
 35. 35. The thirty-fifth
 36. 36. The thirty-sixth
 37. 37. The thirty-seventh
 38. 38. The thirty-eighth
 39. 39. The thirty-ninth
 40. 40. The fortieth
 41. 41. The forty-first
 42. 42. The forty-second
 43. 43. The forty-third
 44. 44. The forty-fourth
 45. 45. The forty-fifth
 46. 46. The forty-sixth
 47. 47. The forty-seventh
 48. 48. The forty-eighth
 49. 49. The forty-ninth
 50. 50. The fiftieth
 51. 51. The fifty-first
 52. 52. The fifty-second
 53. 53. The fifty-third
 54. 54. The fifty-fourth
 55. 55. The fifty-fifth
 56. 56. The fifty-sixth
 57. 57. The fifty-seventh
 58. 58. The fifty-eighth
 59. 59. The fifty-ninth
 60. 60. The sixtieth
 61. 61. The sixty-first
 62. 62. The sixty-second
 63. 63. The sixty-third
 64. 64. The sixty-fourth
 65. 65. The sixty-fifth
 66. 66. The sixty-sixth
 67. 67. The sixty-seventh
 68. 68. The sixty-eighth
 69. 69. The sixty-ninth
 70. 70. The seventieth
 71. 71. The seventy-first
 72. 72. The seventy-second
 73. 73. The seventy-third
 74. 74. The seventy-fourth
 75. 75. The seventy-fifth
 76. 76. The seventy-sixth
 77. 77. The seventy-seventh
 78. 78. The seventy-eighth
 79. 79. The seventy-ninth
 80. 80. The eightieth
 81. 81. The eighty-first
 82. 82. The eighty-second
 83. 83. The eighty-third
 84. 84. The eighty-fourth
 85. 85. The eighty-fifth
 86. 86. The eighty-sixth
 87. 87. The eighty-seventh
 88. 88. The eighty-eighth
 89. 89. The eighty-ninth
 90. 90. The ninetieth
 91. 91. The ninety-first
 92. 92. The ninety-second
 93. 93. The ninety-third
 94. 94. The ninety-fourth
 95. 95. The ninety-fifth
 96. 96. The ninety-sixth
 97. 97. The ninety-seventh
 98. 98. The ninety-eighth
 99. 99. The ninety-ninth
 100. 100. The hundredth
 101. 101. The hundred-first
 102. 102. The hundred-second
 103. 103. The hundred-third
 104. 104. The hundred-fourth
 105. 105. The hundred-fifth
 106. 106. The hundred-sixth
 107. 107. The hundred-seventh
 108. 108. The hundred-eighth
 109. 109. The hundred-ninth
 110. 110. The hundredth
 111. 111. The hundred-first
 112. 112. The hundred-second
 113. 113. The hundred-third
 114. 114. The hundred-fourth
 115. 115. The hundred-fifth
 116. 116. The hundred-sixth
 117. 117. The hundred-seventh
 118. 118. The hundred-eighth
 119. 119. The hundred-ninth
 120. 120. The hundredth
 121. 121. The hundred-first
 122. 122. The hundred-second
 123. 123. The hundred-third
 124. 124. The hundred-fourth
 125. 125. The hundred-fifth
 126. 126. The hundred-sixth
 127. 127. The hundred-seventh
 128. 128. The hundred-eighth
 129. 129. The hundred-ninth
 130. 130. The hundredth
 131. 131. The hundred-first
 132. 132. The hundred-second
 133. 133. The hundred-third
 134. 134. The hundred-fourth
 135. 135. The hundred-fifth
 136. 136. The hundred-sixth
 137. 137. The hundred-seventh
 138. 138. The hundred-eighth
 139. 139. The hundred-ninth
 140. 140. The hundredth
 141. 141. The hundred-first
 142. 142. The hundred-second
 143. 143. The hundred-third
 144. 144. The hundred-fourth
 145. 145. The hundred-fifth
 146. 146. The hundred-sixth
 147. 147. The hundred-seventh
 148. 148. The hundred-eighth
 149. 149. The hundred-ninth
 150. 150. The hundredth
 151. 151. The hundred-first
 152. 152. The hundred-second
 153. 153. The hundred-third
 154. 154. The hundred-fourth
 155. 155. The hundred-fifth
 156. 156. The hundred-sixth
 157. 157. The hundred-seventh
 158. 158. The hundred-eighth
 159. 159. The hundred-ninth
 160. 160. The hundredth
 161. 161. The hundred-first
 162. 162. The hundred-second
 163. 163. The hundred-third
 164. 164. The hundred-fourth
 165. 165. The hundred-fifth
 166. 166. The hundred-sixth
 167. 167. The hundred-seventh
 168. 168. The hundred-eighth
 169. 169. The hundred-ninth
 170. 170. The hundredth
 171. 171. The hundred-first
 172. 172. The hundred-second
 173. 173. The hundred-third
 174. 174. The hundred-fourth
 175. 175. The hundred-fifth
 176. 176. The hundred-sixth
 177. 177. The hundred-seventh
 178. 178. The hundred-eighth
 179. 179. The hundred-ninth
 180. 180. The hundredth
 181. 181. The hundred-first
 182. 182. The hundred-second
 183. 183. The hundred-third
 184. 184. The hundred-fourth
 185. 185. The hundred-fifth
 186. 186. The hundred-sixth
 187. 187. The hundred-seventh
 188. 188. The hundred-eighth
 189. 189. The hundred-ninth
 190. 190. The hundredth
 191. 191. The hundred-first
 192.

DETAILED DESCRIPTION OF THE DRAWINGS

An embodiment of the present invention and its advantages are best understood by referring to FIGURES 1-2 of the drawings, like numerals being used for like and corresponding parts of the various drawings.

FIGURE 1 is a block diagram of one embodiment of a system 100 for monitoring transactions in accordance with the present invention. According to one embodiment, system 100 establishes communication channels with the client to gather feedback about the agent from the client. Using the gathered feedback, system 100 monitors and evaluates the performance of the agent and builds a record of the agent-client interaction. The evaluation information may be used to generate a list of agents who may be effectively matched with the proper clients. The evaluation information may also be used to assess the risk posed by the agent's actions to determine premium payments for insurance associated with transactions conducted by the agent.

Referring to FIGURE 1, system 100 includes a company 102 with an agent 104 who interacts with a client 106. System 100 also includes a processing manager 113 that monitors and evaluates agent 104's interaction with client 106. The operations of system 100 may be conducted using software, hardware, human resources, or any combination of the preceding.

Agent 104 may be, for example, an employee or representative of company 102 such as a sales representative, a health maintenance organization physician, or an insurance agent. Client 106 may be, for example, a patient, client, or customer of company 102. Agent 104 may interact with client 106 by communicating

information about company 102 or a product or service provided by company 102 to client 106. Company 102 may also include a general administrator (GA) 108, a management division 110, and an office staff 112. Company 102 may also have a company database 160 where company stores information relating to, for example, its agents 104, clients 106, and policies. Company database 160 may be a database of an external entity that stores information for company 102.

The communication of information between client 106, agent 104, and/or processing manager 113 may occur, for example, in person or through a communication network 114 and a contact module 125. For example, company 102 may provide data from company database 160 to processing manager 113 through contact module 125. Client 106 may use contact module 125 to collect information about company 102 or to provide feedback about an interaction with agent 104.

Communication network 114 may include wired telecommunications, satellite, microwave, or other suitable wireline or wireless networks, or a combination of the preceding. Contact module 125 may provide communication via, for example, email, written communication, text telecommunication such as live chat over Internet Protocol, voice telecommunication such as voice over Internet Protocol, or other suitable method of communication such as video telecommunication or in person communication.

Contact module 125 may include a website 124, a voice response unit (VRU) 126, an operator 127, a mailing center 128, and/or other suitable communication module. Website 124 provides online communication such as

webpages or live chat communication. Voice response unit 126 may provide automated responses to input signal from a telecommunications device. Operators 127 may provide text or voice telecommunication. Mailing center 128 may include a mail room that handles written communication.

Interface module 116 associated with contact module 125 may include a security module 118, a hypertext markup language (HTML) interface (IF) 120, and applets 122. Security module 118 may provide, for example, password security, resource access security, and/or system security. HTML interface 120 provides instructions to a web browser on how to display a website.

Applets 122 may include software applications that may run on a user's browser or computer. Examples of applets 122 include a live chat applet that allows users to communicate in real time, a rate calculator that allows a user to estimate a premium for an insurance policy, and an eligibility calculator that allows a user to determine eligibility for an insurance policy. Interface module 116 may also provide files to a user's browser or computer. For example, interface module 116 may deliver a Microsoft PowerPoint presentation to agent 104's laptop.

Other entities, for example, a user at an off-site location 107 or a third party 109 may communicate through contact module 125. A user at an off-site location may include, for example, agent 104 working from home or presenting a seminar in a hotel conference room. A third party may include, for example, a credit check company or fraud control service that may be used to verify client 106, a location provider website that may be used to

provide maps to agent 104, or a lead generation service that may provide leads for potential clients 106.

Agent 104 may access the services provided by processing manager 113 through a wired or wireless communication link to a portal of website 124. Other suitable methods may be used, for example, agent 104 may place a telephone call to operator 127 or voice response unit 126. Alternatively, agent 104 may replicate needed information from contact module 125 and periodically synchronize and update data using, for example, Microsoft Exchange or Lotus Notes applications. Agent 104 may also have these services installed on his laptop.

Processing manager 113 processes data gathered from company 102, agent 104, and client 106, and stores data in and retrieves data from a database management system (DBMS) 150 such as Microsoft Structured Query Language (SQL) server. In one embodiment, databases may include, but are not limited to, a tools database 152, an agent performance database 154, a client list 156, a client record 158, an import database 151, an operator database 153, and a transaction insurance database 159.

Databases 152 to 159 may store text data, scanned information, video and audio data, applications, applets and/or other data. Text data may be stored in an HTML format and indexed for retrieval by database management system 150. Documents may be scanned, compressed, and indexed for storage. Video and audio communication may be recorded, digitally compressed, and indexed for storage. Video and audio files may be compressed and indexed. These files may be communicated to users using an online presentation application, such as Flash, or a streamlining audio/video application, such as Yahoo

Broadcast. Applications and applets may also be compressed and indexed, and delivered to users through contact module 125.

Tools database 152 includes information used by agent 104, GA 108, management 110, office staff 112, and/or contact module 127. Tools database 152 may include text data, for example, scripts that agent 104 or operator 127 may use to describe an insurance policy or to gather feedback about an agent-client interaction. The scripts may be customized for each potential client by, for example, filling the name of the potential client in the appropriate places within a script that can be read during contact with client 106.

In one embodiment, tools database 152 may also include a quote engine that agent 104 or operator 127 may use to give client 106 an estimated premium payment for an insurance policy. The quote engine may take the form of an applet that retrieves policy information from import database 151 and client information from client record database 158 to generate a quote. The quote engine may be included in a script presented to operator 127. To generate a quote for a caller, operator may activate a "quote" button shown on the script.

Maps may be included to show agent 104 the directions to the residence of client 106. The maps may be provided by a location provider website. Tools database 152 may also provide information retrieved from company database 160. For example, a preferred providers list may be included so client 106 may determine whether his healthcare provider is covered under a policy. The list may be updated with information from the import database 151.

5 Additionally, training tools may be included in
tools database 152. Training tools may include seminars
or videos that may be presented on-site or may be
communicated to another site, and that may be used to
train new agents or operators or to help agents improve
their agent-client interaction. Tools database 152 may
also include marketing materials, for example, a seminar
for introducing potential clients to the insurance
policies or information on purchasing company logo
10 products.

15 In one embodiment, agent performance database 154
may include information describing and evaluating the
agent 104's performance. The information may include,
for example, a ranking of all the agents with respect to
each other, feedback from client 106, and descriptions of
the agent 104's performance. For example, the
information may include whether an agent has been sued
for malpractice. Information may also include agent
104's geographic location, tenure, professional
20 certifications, record of complaints filed against him,
outstanding debt to company 102, policy renewal rate, and
adherence to the policies of company 102.

25 Client list database 156 may include a list of
potential clients and a list of current clients. These
lists may be generated from information gathered through
contact module 125 from company 102, website 124, voice
response unit 126, operator 127, or third party 109 lead
providers. To generate the lists, an applet may present
a form to client 106 or operator 127, who completes the
30 form with client information. The form is then
transmitted to client list database 156.

Client record database 158 includes information documenting interactions with client 106. This information may include, for example, documents signed by client 106 or a record of communication such as telephone calls, website activity, and live chats between client 106 and contact module 125. Information may track client preferences, referral information, other products purchased by client 106, and how long client 106 has been a customer.

An operator database 153 may store the identification of operators 127 who are currently operating. Programs that may be needed to access and import data from company database 160 may be stored in an import database 151. Import database may also store data received from company database 160.

A transaction insurance database 159 stores data relating to insuring service transactions. For example, transaction insurance database 159 may store a table listing types of transactions and their associated premiums to ensure each transaction. The table may be adjusted for particular agents or types of agents. For example, a more experienced agent may have a lower premium than a less experienced agent. Transaction insurance database 159 may also store a list of agents who cannot be insured, such as agents who have had sanctions placed against them.

Processing manager 113 may directly access databases 152 to 159, or an information delivery system (IDS) 145 may process data from databases 152 to 159 before it is delivered to processing manager 113. Information delivery system 145 may customize a form, for example, a script from tools database 152, by filling in blank

fields of the form with the appropriate information, for example, client 106's personal information, before the script is delivered to agent 104, operator 127, or voice response unit 126. Applets may also be customized. For example, a quote engine that generates an estimated premium for a policy may include policy information from company database 160.

To perform customization, information delivery system 145 receives the item to be customized, determines the blank fields that need data, and retrieves that data to insert in the blank fields. The data may be retrieved from a database, for example, client 106's personal information from client record database 158, or from a module of processing manager 113. For example, information delivery system 145 may customize a script to be read to client 106 by inserting the names of three agents 104 best matched with client 106 as determined by evaluation module 134.

According to one embodiment of the present invention, processing manager 113 includes, but is not limited to, the following modules used to monitor and evaluate agent 104. A monitoring module 132 collects information from client 106 about his interaction with agent 104. The information may be gathered through contact module 125. Monitoring module 132 may use tools from tools database 152 to collect the information. For example, operator 127 may use a script from tool database 152 to gather feedback from client 106, and may use a client list from client list database 156 to determine which clients to contact to request feedback. Monitoring module 132 may store the record of interactions of client 106 in client record database 158. Client record

database 158 documents client 106's understanding of the agent-client interaction, and may be useful in defending company 102 against later allegations made by client 106.

Monitoring module 132 may also compare feedback gathered from client 106 with reports from agent 104 to check that client 106 has understood the transaction and that agent 104 has correctly reported the situation. Agent 104 may be required to submit a disposition report after interacting with client 106. The disposition report may include items that agent 104 is required to answer, for example, items describing whether client 106 was satisfied with the interaction and whether client 106 purchased a policy.

Client 106 may be asked to respond to corresponding items, for example, items describing whether client 106 was satisfied with the interaction and whether client 106 purchased a policy. The items may be weighted according to importance. For example, it is more important for agent 104 and client 106 to agree on whether client 106 purchased a policy than whether client 106 was satisfied with the interaction.

Monitoring module 132 compares the values of corresponding items from the disposition report and the client feedback to determine whether client 106 has understood the transaction and agent 104 has correctly reported the situation. The weight of the items and size of discrepancies may be used to perform an effective comparison. Monitoring module 132 may also generate a report documenting the comparison.

Monitoring module 132 may also directly monitor agent 104. Agent 104's interactions with processing manager 113 may be recorded. Monitoring module 132 may

receive and store agent 104's email messages and monitor the stored messages, or may monitor agent 104's email messages directly from the email program used by contact module 125. Agent 104's geographic position may be tracked using a global positioning system monitoring device on agent 104's agent appliance, for example, a laptop.

Monitoring module 132 may detect a trigger event indicating that agent 104 has committed an act that may require a responsive action. For example, client 106 may report in the feedback to monitoring module that agent 104 has assaulted him. An agent disposition report and client feedback collected by monitoring module 132 may disagree on the question of whether client 106 has purchased a policy. Agent 104 may have failed to timely submit required disposition reports to monitoring module 132 after receiving an assignment to visit client 106. Alternatively, agent 104's geographic position may be tracked by monitoring module 132 to a location far from where agent 104 should be.

In response to the trigger event, monitoring module 132 may perform a responsive action. For example, a designated person of management 110 of company 104 may be notified of agent 104's action. Monitoring module 132 may communicate a message to company database 160 to stop payment of a commission to agent 104 or to place a particular policy on hold. Third party 109 lead generator may be notified to stop giving new clients to agent 104. Evaluation module 134 may modify a premium payment for insuring a transaction involving agent 104.

An evaluation module 134 uses information gathered by monitoring module 132 to evaluate the performance of

agent 104 and generate an agent profile, which may be stored in agent performance database 154. An agent profile may include client evaluations of agent 104, manager evaluations, the agent's availability, experience, training, probation, location, or other suitable criteria that may be used to describe agent 104.

Evaluation module 134 may compare the agent profile with a client profile to generate a list of agents that are effectively matched with the client. For example, a highly litigious client may be matched with the agent with the best client evaluations. A client profile may include, for example, a client's history of litigation, potential to purchase a policy, or other suitable criteria that may be used to describe client 106.

To make the comparison, the agent evaluation may include items for which agent 104 is ranked or given a numerical value, for example, success rate, customer satisfaction, and geographic location. The client description may include corresponding items for which client 106 is ranked or given a numerical value, for example, potential ease of sale, history of past complaints, and geographic location. The values of corresponding items from the agent evaluation and client description are compared to determine compatibility.

Additionally, agents 104 may be categorized and ranked in groups in order to be matched with clients 106. For example, agents 104 may be categorized by the type of product they sell, such as life insurance and health insurance, and then ranked within the groups. The rankings are then used to match agents 104 with clients 106.

The matching also take into account special situations. For example, a new agent may not have a high ranking on the list because he has not had the time and the experience to sell many policies. In order to give the new agent effective training, the new agent may be given more or better clients than his ranking would otherwise allow him. Additionally, an agent who is suffering from a personal difficulty or a health problem may be given better clients than would normally be allowed. To account for these special circumstances, an agent evaluation may include items that may be given a value to adjust agent 104's overall ranking.

A contact management system 142 manages contact module 125, and may include a webserver 140, a telecommunications manager 141, and a call generator 143. Contact management system 142 retrieves data from database management system 150 or customized data from information delivery system 145 for use by webserver 140, voice response unit 126, or operator 127. Webserver 140 maintains website 124. Webserver 140 may, for example, allow client 106 access to the preferred providers list from tools database 152. Webserver 140 may also be associated with interface module 116 to provide access and security to processing manager 113.

Telecommunications manager 141 manages the interaction between operator 127 and voice response unit 126 and a telecommunications switch in order to control communication of information between a caller processing manager 113. For example, telecommunications manager 141 may identify incoming calls using automatic number identification (ANI) to check whether a caller is providing the correct information. This may be used to

prevent providing information to a competitor who pretends to be client 106. The ANI may also be used to retrieve information about a customer, such as previous purchases, to provide to operator 127.

5 Telecommunications manager 141 may also track the dial-in-number that client 106 called, which may be used to provide marketing information. Telecommunications manager 141 may also allow operator 127 and voice response unit 126 access a client list from client list
10 database 156, and may also determine which operators 127 are present and communicate this information to operator database 153.

Scripts may be customized according to the caller. Contact management system 142 may use the ANI or the
15 dial-in-number to identify a particular script to retrieve from tools database 152. Alternatively, voice response unit 126 or operator 127 may ask a caller certain qualifying questions or for a promotion code. A particular script is selected according to the callers
20 responses.

Call generator 143 places telephone calls for operators 127 and voice response unit 126 by automatically dialing a telephone number for a given list. The list may include, for example, a client list
25 retrieved from client list database 156, a client lead list generated by a third party 109, or a list of clients with expired policies retrieved from company database 160. The list may include a clients who request call backs.

30 Rules 144 organize the flow of information through processing manager 113. Rules 144 may be used to control access to the modules and may be used to update the

information gathered by the modules. For example, an agent 104 who has not promptly completed required administrative work may not have access to new leads for clients 106. Rules may also be used to specify call routing. For example, if client 106 makes over a certain number of complaints, the next call from client 106 is automatically routed to manager 110. Rules may also specify types of requests for data retrieved directly from database management system 150 or for customized data received through information delivery system 145.

In operation, monitoring module 132 monitors agent 104 by monitoring agent 104's activities and by gathering feedback from client 106 through contact module 125. The gathered information may be stored in client record database 158. Evaluation module 134 receives the information collected by monitoring module 132 and evaluates agent 104's performance to generate a list of agents matched to a client. The results of the evaluation are stored in agent performance database 154. In one embodiment, system 100 constantly updates the data in the databases to provide current information for more accurate evaluation of agent 104's risk.

FIGURE 2 is a flowchart of one embodiment of a method for monitoring a service transaction. The method provides a standardized procedure for monitoring agent 104's interactions with client 106, which may eliminate or manage problems arising from agent 104's actions. The method also evaluates the agents of company 102 in order to effectively match agents and clients, which may avoid potential problems arising from the interaction. Additionally, the method may be used to create a record of client 106's understanding of the interaction, which

may be useful in defending company 102 against later allegations by client 106.

Referring to FIGURE 2, the method begins at step 210, where potential client 106 is identified. Potential client 106 may be identified by operator 127 and then added to client list database 156. For example, Interested potential client 106 may call a toll-free telephone number to inquire about insurance policies. Operator 127 uses scripts available from tools database 152 to describe the insurance policies to potential client 106. Tools database 152 may also provide a quote engine that provides an estimated premium payment to potential client 106. Operator 127 may use a preferred providers list in tools database 152 to check whether potential client 106's healthcare provider is covered by the policy. Operator 127 may also use a list of agents matched with potential client 106 generated by evaluation module 134 to select an agent for client 106.

Potential client 106 may also be identified through website 124. For example, interested potential client 106 may access website 124 in order to find out more information about the insurance policies. The website may include, for example, a quote engine, a preferred providers list, and a list of agent profiles available from tools database 152. The website may also include information on how to contact the insurance company, for example, a toll-free telephone number, an email address, or a postal address. A list of upcoming seminars presented by the insurance company may also be posted at the website. Potential client 106 may contact the insurance company using one of the methods suggested by

the website, and then may be added to the potential client list in client list database 156.

Potential client 106 may also be identified through seminars presented by the insurance company. The seminars may be advertised, for example, in the media, through contact module 125, or through website 124. Interested potential clients may attend the seminars in order to gather more information about the insurance policies and may leave information on how they may be contacted with a representative at the seminar. Seminar training material may be available from tools database 152. Potential client 106 may also be identified by selecting current clients whose policies will soon expire. These clients may be contacted to renew their policies.

At step 212, agent 104 is matched with client 106. Using the performance records and evaluations of the agents, evaluation module 134 generates a list that matches agents with clients. The list may be generated with information from client list database 156 and agent performance database 154. The list may comprise only the agent who is best matched with the client, or may comprise many agents ranked in order of suitability.

The matching of agents with clients may take into account an agent profile, which includes criteria that describes the agent or his abilities, and a client profile. For example, a highly litigious potential client may be matched with an agent with good client evaluations. The matching order also take into account special situations. For example, a new agent may not have a high ranking on the list because he has not had the time and the experience to sell many policies.

At step 214, monitoring module 132 transmits client information to agent 104, and initiates a clock to time agent 104's response. In one embodiment, agent 104 visits client 106's residence. Agent 104 may bring, for example, a laptop computer that has access to scripts for describing the policies to client 106 and a quote engine, so that agent 104 may give client 106 an estimate of the premium payment. Agent 104 may also use a preferred providers list to determine whether client 106's health service provider is covered by the policy. In one embodiment, agent 104 may fill out the policy at client 106's residence using the laptop. The information known about client 106, for example, his name and address, may already be completed in the form.

Monitoring module 132 receives a response from agent 104 at step 216. Agent 104 may, for example, place a call to company 102 and allow client 106 to talk to agent 104's manager. Additionally, agent 104 may complete a disposition report of the agent-client interaction after leaving client 106's residence to be collected by monitoring module 132. The disposition may include, for example, whether or not client 106 agreed to purchase a policy and the reasons why or why not, and may be stored in client record database 158.

Monitoring module 132 determines whether the agent's response is timely at step 218. The response may be timed from when agent 104 receives the client information to see whether the response is within predetermined period of time. If the response is not timely at step 218, monitoring module 132 triggers an alarm at step 220, such as sending a notification to a manager. The method proceeds to step 222 to ask client 106 about the

interaction. If the response is timely at step 218, and the method proceeds to step 222.

5 Client 106 is asked to about the interaction at step 222. For example, during an agent-client interaction, agent 104 may call his manager. The manager may ask client 106 about the agent-client interaction. The manager may also ask client 106 whether he understands the policy and whether he complies with its terms.

10 Additionally, monitoring module 132 may ask about the interaction after the interaction using, for example, a written correspondence, an email, or by a script delivered through a telephone call by operator 127. A questionnaire may include standard questions about agent 104's performance and about client 106's understanding of
15 and compliance with the terms of the insurance policies. The answer options may be presented in a manner that is easy to evaluate, for example, ranked multiple choice answer options. The questionnaire may also include questions that may be answered in a free-form format.

20 At step 224, monitoring module 132 stores client 106's responses in client record database 158. In one embodiment, the responses may be recorded by, for example, recording client 106's telephone call or storing client 106's email message or written correspondence.
25 Client record database 158 may be useful in defending company 102 against client 106's later allegations.

30 At step 226, client 106's responses are compared with agent 104's report stored in client record database 158. Discrepancies between the responses and the report may indicate client 106's lack of understanding, a miscommunication between agent 104 and client 106, or dishonesty on the part of agent 104.

If there is an actionable discrepancy revealed by the comparison at step 228, a responsive action is taken at step 230. For example, if client 106 responds that he did not purchase a policy, and agent 104 reports that the policy was purchased, monitoring module 132 sends a notification to company 102 to cancel the policy and to stop payment on any commission advance to agent 104. If client 106 responds that agent 104 stole something from client 106's residence or exhibited other egregious misconduct, monitoring module sends an alarm to company 102 to investigate the matter so that further incidences of such conduct can be immediately prevented. After the responsive action is taken, the method proceeds to step 232 to initiate follow up procedures. If there are no actionable discrepancies at step 228, the method proceeds to step 232.

At step 232, follow up procedures are initiated by monitoring module 132 to gather information. Follow up procedures may include, for example, having a health care professional such as a nurse call on client 106. The frequency of follow ups may be based on the experience of agent 104. For example, all interactions of a new agent may be followed up, while only a sample of the interactions of an experienced agent may be followed up.

At step 234, a nurse is informed by monitoring module 132 of visit or call client 106. Monitoring module 132 may, for example, send an email to the nurse. In one embodiment, a nurse is sent to visit client 106 to conduct an interview and an examination. The nurse may ask client 106 about the agent-client interaction, and may also ask questions to generate marketing data. He may also check the health of client 106 by, for example,

taking the blood pressure of client 106, and may also test the cognitive abilities of client 106. Results, which are recorded in a nurse report, of the examination may determine whether the client is capable of understanding and complying with an insurance policy. At step 236, monitoring module 132 receives the nurse report and stores the report in client record database 158.

At step 238, delivery of the policy is determined. After the policy has been sent out for delivery, contact module 125 contacts client 106 to confirm that client 106 has received the policy. Operator 127 may ask questions to determine whether client 106 understands and complies with the policy. Additionally, client's 106 confirmation of receipt of the policy may trigger the statutory "free look" period. If delivery is not confirmed at step 238, monitoring module notifies company 102 at step 240 and then proceeds to step 242. If delivery is confirmed, the method proceeds to step 242.

At step 242, agent 104 is evaluated. According to one embodiment, based upon the agent 104's performance as monitored by monitoring module 132, agent 104 is evaluated by evaluating module 134 and may be placed in a ranking order with other agents of company 102. Evaluating module 134 may use the information in agent performance database 154 and client record database 158 to evaluate agent 104. The ranking order may be determined on demand, using agent 104's most recent performance evaluation, on an office website.

At step 244, the results from the follow up are reported. The results may be reported to evaluation module 134 for further processing and may be stored in

client record database 158. After the results are reported, the method terminates.

A technical advantage of the present invention is that it continuously gathers and evaluates client feedback about agent-client interactions. The feedback may be used to generate an updated list of agents matched with clients. The feedback may also be used to provide a current assessment of the risks posed by an agent and to determine a premium payment to insure the agent for future transactions. Another technical advantage of the present invention is that it may be used to certify a company to indicate to consumers that the company's agents are being monitored and that clients have a communication channel through which to provide feedback about the agents.

Although an embodiment of the invention and its advantages are described in detail, a person skilled in the art could make various alternations, additions, and omissions without departing from the spirit and scope of the present invention as defined by the appended claims.